

L Number	Hits	Search Text	DB	Time stamp
-	723	jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:12
-	11	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or de\$1allocat\$3 or heap) near4 (in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:17
-	19	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or de\$1allocat\$3 or heap or garbage) near4 (in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:15
-	5	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or de\$1allocat\$3 or heap or garbage) near4 (in\$lactive or old or dead or cold or un\$lused)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:20
-	16	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or re\$1claim\$3 or de\$1allocat\$3 or heap) near4 (in\$lactive or old or dead or cold or un\$lused)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:25
-	5	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or re\$1claim\$3 or de\$1allocat\$3 or heap) near4 (in\$lactive or old or dead or cold or un\$lused)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:26
-	0	20040015920.URPN.	USPAT	2004/04/08 14:25
-	298	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or re\$1claim\$3 or de\$1allocat\$3 or heap) and (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:05
-	86	((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or re\$1claim\$3 or de\$1allocat\$3 or heap) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:27
-	40	((jit and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (((jit and (optimiz\$5 or profil\$3 or efficien\$4 or performance)) and (free\$3 or re\$1claim\$3 or de\$1allocat\$3 or heap) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) and threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:07
-	61	((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:21
-	43	((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) and threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:30
-	180	((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:54

-	1204	(jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) and (active or hot or in\$lactive or old or dead or cold or un\$lused)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:55
-	98	(jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:56
-	84	((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (jit and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:55
-	54	(jit or (dynamic near4 compil\$5)) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:57
-	40	((jit or (dynamic near4 compil\$5)) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (jit and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:02
-	13	jit and Bak	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:07
-	6	(jit and Bak) and (trace or hot or frequen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 08:11
-	1307	(jit or "just in time" or just-in-time) and (hot or frequen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 08:12
-	162	(jit or "just in time" or just-in-time) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:06
-	150	((jit or "just in time" or just-in-time) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)) not ((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or repossess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 08:13

-	150	((jit or "just in time" or just-in-time) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)) not ((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or reposess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused))) not (((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or reposess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (jit and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 08:14
-	150	((((jit or "just in time" or just-in-time) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)) not ((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or reposess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused))) not (((jit or (dynamic near2 compil\$5) or jvm) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or reposess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused)) not (jit and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or un\$lused)))) not ((jit or (dynamic near4 compil\$5)) and (re\$1cla\$7 or re\$1gain\$3 or re\$1cover\$3 or reposess\$3 or retriev\$3 or back) near4 (active or hot or in\$lactive or old or dead or cold or un\$lused))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:00
-	0	"200410015920"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:01
-	2	"20030093779"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:01
-	219	(jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1compil\$5) and (active or hot or in\$lactive or old or dead or cold or un\$lused)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:07
-	72	((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1compil\$5) and (active or hot or in\$lactive or old or dead or cold or un\$lused)) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:08
-	212	(jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1compil\$5) and (active or hot or in\$lactive or old or dead or cold or in\$lfrequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:23
-	71	((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1compil\$5) and (active or hot or in\$lactive or old or dead or cold or in\$lfrequent\$3)) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:08

-	43	(jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1cycl\$3 or re\$1lus\$3 or re\$1gain\$3) same (in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:12
-	73	(jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1cycl\$3 or re\$1lus\$3 or re\$1gain\$3 or collect\$3) same (in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:13
-	54	((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1cycl\$3 or re\$1lus\$3 or re\$1gain\$3 or collect\$3) same (in\$lactive or old or dead or cold or in\$1frequent\$3)) not (((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1compil\$5) and (active or hot or in\$lactive or old or dead or cold or in\$1frequent\$3)) and (native same (memory or allocation or size or limit)) and (hot or frequen\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:13
-	2340	(jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) and (active or hot or in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:23
-	70	(jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) near4 (in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:25
-	62	((jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) near4 (in\$lactive or old or dead or cold or in\$1frequent\$3)) not ((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1cycl\$3 or re\$1lus\$3 or re\$1gain\$3 or collect\$3) same (in\$lactive or old or dead or cold or in\$1frequent\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:24
-	240	(jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) same(in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:31
-	178	((jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) same(in\$lactive or old or dead or cold or in\$1frequent\$3)) not (((jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) near4 (in\$lactive or old or dead or cold or in\$1frequent\$3)) not ((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$1cycl\$3 or re\$1lus\$3 or re\$1gain\$3 or collect\$3) same (in\$lactive or old or dead or cold or in\$1frequent\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:25
-	33492	(jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7 or re\$1invok\$3 or re\$1call\$3 or re\$compil\$5 or re\$1tain) and (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:34
-	2634	(jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7 or re\$1invok\$3 or re\$1call\$3 or re\$compil\$5 or re\$1tain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:35
-	36	(jit) and (re\$1cla\$7 or re\$1invok\$3 or re\$1call\$3 or re\$compil\$5 or re\$1tain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$1frequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 09:35

-	200	((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1allocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$lfrequent\$3)) not (((jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) same(in\$lactive or old or dead or cold or in\$lfrequent\$3)) not (((jit or (dynamic near2 compil\$5) or optimiz\$4) and (re\$1cla\$7) near4 (in\$lactive or old or dead or cold or in\$lfrequent\$3)) not ((jit or (dynamic near2 compil\$5)) and (re\$1cla\$7 or re\$lcycl\$3 or re\$lus\$3 or re\$lgain\$3 or collect\$3) same (in\$lactive or old or dead or cold or in\$lfrequent\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 11:27
-	210	(jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1allocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$lfrequent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:19
-	2	"20020112227"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 12:50
-	2	"20020108106"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:02
-	0	20020029357.URPN.	USPAT	2004/04/09 12:59
-	0	20020029357.URPN.	USPAT	2004/04/09 12:59
-	0	20020029357.URPN.	USPAT	2004/04/09 12:59
-	12	PCT/GB99/00788	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:02
-	11	(jit or ("just in time" or just-in-time)) and Kramskoy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:11
-	299	(jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1allocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$lfrequent\$3 or active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:41
-	315	((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1allocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$lfrequent\$3 or active)) not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1allocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$lactive or old or dead or cold or in\$lfrequent\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:20

-	89	((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)) not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:31
-	19	"5995754"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:32
-	7	"5995754" and jit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:32
-	1	("5995754" and jit) and (jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:36
-	1	"5995754" and (jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:37
-	3	"5995754" and (jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) and (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:37
-	241	((optimiz\$5 or dynamic\$4) near3 compiler) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:42
-	201	((optimiz\$5 or dynamic\$4) near3 compiler) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active)) not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1active or old or dead or cold or in\$1frequent\$3 or active))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:43

-	201	((((optimiz\$5 or dynamic\$4) near3 compiler) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active)) not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active))) not "5995754"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:43
-	201	((((optimiz\$5 or dynamic\$4) near3 compiler) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active)) not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active))) not "5995754") not ((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/09 13:43
-	69	((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active)) and (method near4 invok\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:05
-	174	((jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) and (hot or frequent\$3 or in\$1lactive)) and (method near4 invok\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:00
-	24	((method near4 invok\$3) same(jit or ("just in time" or just-in-time)) and (re\$1cla\$7 or free\$3 or releas\$3 or de\$1lallocat\$3 or re\$linvok\$3 or re\$1call\$3 or re\$compil\$5 or re\$ltain) same (hot or frequent\$3 or in\$1lactive or old or dead or cold or in\$1lfrequent\$3 or active))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 11:06
-	2	(jit or ("just in time" or just-in-time)) near5 counter and ((hot or frequent\$3)) and (method near4 invok\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:01